



INDIRA GANDHI NATIONAL OPEN UNIVERSITY
CONSTRUCTION AND MAINTENANCE DIVISION
MAIDAN GARHI, NEW DELHI-110068
NOTICE INVITING QUOTATION

No. IG/CMD/EE(C)/NIQ/2021-22/1519

Dated: February 21, 2022

The Executive Engineer (C) Construction & Maintenance Division invite on behalf of the Vice-Chancellor, Indira Gandhi National Open University, sealed item rate quotations for the following work from the registered contractors of CPWD/MES/BRO/MCD/PWD/DDA or any other Govt./Autonomous body, who have already executed at least one similar work costing 80% or two similar works costing 60% each or three similar works costing 40% each of estimated cost during the last seven years for any Govt. department. The quotations will be issued only on production of Original GSTIN No. and PAN No. proof for satisfactory completion of similar work duly certified by the competent authority of the client department.

S. No.	Name of work	Estimated cost (in Rs.)	Earnest money (in Rs.)	Last date of Issue of quotation	Date of submission and opening of quotation	Time allowed
1.	Providing and fixing partition in Block No.-15 2nd Floor SOSW in Conference Room No.-10 at IGNOU Campus, Maidan Garhi, New Delhi-110068.	1,99,251/-	4,981/-	04.03.2022	07.03.2022	01 Month

Quotation forms and conditions can be obtained from the office of the undersigned Indira Gandhi National Open University, Construction & Maintenance Division, Maidan Garhi, New Delhi-110068 on any working day up-to 02:30 PM on the date given above. The time for submission of quotations are up-to 03:00 PM which shall be opened on the same day at 03:30 PM on the date given above. The undersigned reserves the right to accept or reject any quotations without assigning any reason.

Executive Engineer (C)

Name of work:- Providing and fixing partition in Block No.-15 2nd Floor SOSW in Conference Room No.-10 at IGNOU Campus, Maidan Garhi, New Delhi-110068

SPECIFICATION & SPECIAL CONDITIONS OF CONTRACT:

1. Unless otherwise specified the work shall be carried out in accordance with the printed CPWD specification 2009 for the works at Delhi correction slips issued till the date of opening of tenders/quotation. In the event of any dispute the followings shall be the order of priority to decide the issue:-
 - a. Nomenclature of item read with special conditions of the contract and general specifications
 - b. CPWD specifications
 - c. ISI specifications
 - d. Instructions of Engineer In charge.
2. Before quoting the contractor shall inspect the site of work and shall fully acquaint himself about the conditions with regard to accessibility of site required for the satisfactory execution of work. No claim whatsoever shall be entertained by the department on this account.
3. The quantities shown in the schedule are tentative and may change as per site conditions. The Contractor shall not claim anything extra on this account. The payment shall be made as per actual quantities of work done and as per the conditions of the contract.
4. The work executed under the contract shall be subject to inspection carried out by the departmental officers. Any defects regarding workmanship or quality of material to be used as pointed out during or after completion of work by the departmental officers shall have to be rectified by the contractor and in case the contractor fails to do so, it will be got rectified by the department at the risk and cost of the Contractor.
5. All precautionary measures should be adopted for the safety purposes for any accident during the execution of work occurring at site, the contractor shall be overall responsible for the same.
6. Water if available shall be supplied to the contractor and 1% on account of water charges shall be recovered from him on the gross amount of work done. However, if the electricity is required for the work, the same shall be provided to the contractor and 0.25% on account of electricity charges shall be recovered from him on the gross amount of work done.
7. After the award of work, if the agency fails to start the work the earnest money and performance guarantee submitted by them will be 100% forfeited and the agency will be debarred for a period of three years to quote tender/quotation for IGNOU works.

Executive Engineer (C)

SCHEDULE OF QUANTITY

Estimated Cost :- 1,99,251/-

Earnest Money :- 4,981/- (P.O. in favour of IGNOU)

Time allow :- 01 Month

Issued to:-

Date of opening:-

Name of work:- Providing and fixing partition in Block No.-15 2nd Floor SOSW in Conference Room No.-10 at IGNOU Campus, Maidan Garhi, New Delhi-110068.

S. No.	Description	Qty.	Unit	Rate	Amount
1.	Providing and fixing partition upto ceiling height consisting of G.I. frame and required board, including providing and fixing of frame work made of special section power pressed/ roll form G.I. sheet with zinc coating of 120 gms/sqm(both side inclusive), consisting of floor and ceiling channel 50mm wide having equal flanges of 32 mm and 0.50 mm thick, fixed to the floor and ceiling at the spacing of 610 mm centre to centre with dash fastener of 12.5 mm dia meter 50 mm length or suitable anchor fastener or metal screws with nylon plugs and the studs 48 mm wide having one flange of 34 mm and other flange 36 mm and 0.50 mm thick fixed vertically within flanges of floor and ceiling channel and placed at a spacing of 610 mm centre to centre by 6 mm dia bolts and nuts, including fixing of studs along both ends of partition fixed flush to wall with suitable anchor fastener or metal screws with nylon plugs at spacing of 450 mm centre to centre, and fixing of boards to both side of frame work by 25 mm long dry wall screws on studs, floor and ceiling channels at the spacing of 300 mm centre to centre. The boards are to be fixed to the frame work with joints staggered to avoid through cracks, Galvanised M.S. fixing channel of 99 mm width (0.9 mm thick having two flanges of 9.5 mm each with zinc coating of 120 gms/sqm(both side inclusive)) to be provided at the horizontal joints of two boards, fixed to the studs using metal to metal flat head screws, including jointing and finishing to a flush finish with recommended jointing compound, jointing tape, angle beads at corners (25 mm x 25 mm x 0.5 mm), joint finisher and two coats of primer suitable for board as per manufacture's specification and direction of engineer in charge all complete. 75 mm overall thickness partition with 12.5 mm thick double skin fire rated Glass Reinforced Gypsum (GRG), plaster board conforming to IS: 2095: (part 3) 1996 (Board with BIS Certification marks)	69	Sqm.		
2.	Providing and fixing to existing door frames. 30 mm thick Glass Fibre Reinforced Plastic (FRP) panelled door shutter of required colour and approved brand and manufacture, made with fire - retardant grade unsaturated polyester resin, moulded to 3 mm thick FRP laminate for forming hollow rails and styles, with wooden frame and suitable blocks of seasoned wood inside at required places for fixing of fittings, cast monolithically with 5 mm thick FRP laminate for panels conforming to IS: 14856, including fixing to frames.	11	Sqm.		

P.T.O.

3.	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For fixed portion; Powder coated aluminium (minimum thickness of powder coating 50 micron)	75	Kg		
4.	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete : 250x16 mm	05	No. (Each)		
5.	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.	05	No. (Each)		
6.	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 200x10 mm	05	No. (Each)		
7.	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 125 mm	10	No. (Each)		
8.	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Twin rubber stopper	05	No. (Each)		

Executive Engineer (C)