MPH-005

No. of Printed Pages: 4

M. SC. (PHYSICS) (MSCPH)

Term-End Examination

December, 2024

MPH-005: ELECTRONICS

Time: 2 Hours Maximum Marks: 50

Note: Attempt any five questions. You can use calculator. Symbols have their usual meanings.

- Explain the complete switching ON and OFF
 cycle of a power diode using appropriate
 diagrams. State the differences between normal
 diode and power diode.
- 2. (a) Explain the construction and working of a varactor diode. Write its *two* applications.

4+1

- (b) Draw and explain the circuit of BJT amplifier as light indicator using an LDR.
- 3. (a) Prove that the high frequency response (beyond $f=10\ fc$) of transistor amplifiers decreases by 6 dB per octave.
 - (b) Draw the lead-lag network of Wien bridgeoscillator and obtain the expression for itsoscillation frequency.
- 4. (a) Design an op-amp. based circuit to solve the following simultaneous equations: 5

$$2x + 3y = 13$$

and -x + y = 1.

(b) Explain the use of UJT as a relaxation oscillator. How can it be used as a variable frequency sawtooth generator?

4+1

- 5. Explain with the help of a circuit diagram the working of a series regulator. How can constant current limit implemented in this regulator?

 What is the difference between a constant current configuration and fold back configuration?

 4+4+2
- 6. (a) Explain the terms lock range and capture range with reference to PLL. Why is the capture range smaller than the lock range?
 - (b) With the help of a circuit diagram, explain the working of op-amp. based monostable multivibrator.
- 7. (a) Draw a circuit of 4-bit R-2R ladder network

 DAC using an op-amp. State its
 advantages over weighted resistor

 DAC. 2+3
 - (b) Explain the software techniques used for improving the signal-to-noise ratio of an electronic system.

- 8. (a) Explain with the block diagram organization of a typical microprocessor based system.
 - (b) Write an assembly language program for microcontroller 8051 to compute the average to 5 bytes of data stored from RAM location 40H and store the result at RAM location 35H.

