

**BACHELOR OF SCIENCE**

**(B. Sc.)**

**Term-End Examination**

**December, 2025**

**PHE-14 : MATHEMATICAL METHODS IN  
PHYSICS—III**

*Time : 2 Hours*

*Maximum Marks : 50*

---

**Note :** (i) *Attempt all questions.*

(ii) *The marks for each question are indicated against it.*

(iii) *Symbols have their usual meanings.*

---

1. Attempt any *five* parts :

(a) Show that the matrix A : 2

$$A = \begin{bmatrix} \frac{1}{\sqrt{2}} & \frac{i}{\sqrt{2}} \\ -i & -1 \\ \frac{1}{\sqrt{2}} & \frac{1}{\sqrt{2}} \end{bmatrix}$$

is unitary.

- (b) What are free index and dummy index in a tensor ? Identify and write free indices and dummy indices in the following equation : 2

$$A^{ij} = \sum_{kl} \frac{\partial x'_i}{\partial x_k} \frac{\partial x'_j}{\partial x_l} A^{kl}$$

- (c) Locate and name the singularity of the following function in the finite  $z$ -plane : 2

$$\frac{z^2 - 2z}{z^2 + 2z + 2}$$

- (d) Calculate the residue of the function : 2

$$\frac{z + 3}{z^2 - 3z}$$

- (e) Obtain the Fourier transform of the function : 2

$$f(x) = \begin{cases} x, & 0 < x < 1 \\ 0, & \text{otherwise} \end{cases}$$

- (f) Obtain the Laplace transform of  $e^{5t} \cos t$ . 2

(g) Write the Legendre polynomials  $P_0(x)$  and  $P_1(x)$  and show that they are orthogonal. 2

(h) Plot Laguerre polynomials  $L_n(x)$  for  $n = 0$  and  $n = 1$ . 2

2. Attempt any *two* parts :

(a) Obtain the eigen values and eigen vectors of the following matrix : 5

$$P = \begin{bmatrix} 2 & 1 \\ 1 & 2 \end{bmatrix}$$

Show that its eigen vectors are orthogonal.

(b) (i) Show that the eigen vectors belonging to distinct eigen values of a Hermitian matrix are orthogonal to each other. 3

(ii) Show that  $\{1, -1\}$  is a subgroup of the multiplicative group  $\{1, i, -1, -i\}$ .

2

- (c) For the quadratic equation  $2x^2 + 4xy - y^2 = 24$ , write down the matrix of coefficients and diagonalize it. Recast it in new variables and identify the conic section it represents. 5

3. Attempt any *two* parts :

- (a) Using the method of residues, prove that : 5

$$\int_0^{\infty} \frac{d\theta}{1 + \sin^2 \theta} = \frac{\pi}{\sqrt{2}}$$

- (b) Obtain the Laurent's series expansion of  $\frac{e^z}{(z-1)^2}$  in the neighbourhood of the singular points and calculate the residue. 5

- (c) Evaluate the integral  $\oint_C \frac{dz}{1+z^2}$ , where  $C$  is the circle  $|z| = 3$ . 5

4. Attempt any *two* parts :

- (a) Obtain the Fourier cosine transform of the function : 5

$$f(x) = e^{-px}, \quad 0 < x < \infty, \quad p > 0$$

- (b) Using the Laplace transforms, solve the initial value problem : 5

$$y'' - 4y' + 3y = 0; y(0) = 3, y'(0) = 7$$

- (c) Calculate the inverse Laplace transform of the function : 5

$$\frac{s}{(s-1)^2 - 4}.$$

5. Attempt any *one* part :

- (a) The expression for Bessel's function of the first kind of order  $m$  is given by : 10

$$J_m(x) = \sum_{k=0}^{\infty} (-1)^k \frac{1}{k! \Gamma(m+k+1)} \left(\frac{x}{2}\right)^{2k+m}$$

Show that :

$$J_{1/2}(x) = \sqrt{\frac{2}{\pi}} x^{-1/2} \sin x$$

and  $J_{-1/2}(x) = \sqrt{\frac{2}{\pi}} x^{-1/2} \cos x.$

- (b) Using the generating function for Hermite polynomials : 10

$$g(x, t) = e^{2xt - t^2} = \sum_{n=0}^{\infty} H_n(x) \frac{t^n}{n!}$$

obtain the recurrence relation :

$$H_{n+1}(x) = 2xH_n(x) - H'_n(x)$$

**PHE-14**

विज्ञान स्नातक (बी. एस.-सी.)

सत्रांत परीक्षा

दिसम्बर, 2025

पी.एच.ई.-14 : भौतिकी में गणितीय विधियाँ—III

समय : 2 घण्टे

अधिकतम अंक : 50

नोट : (i) सभी प्रश्न कीजिए।

(ii) प्रत्येक प्रश्न के अंक उसके सामने दिए गए हैं।

(iii) प्रतीकों के अपने सामान्य अर्थ हैं।

1. कोई पाँच भाग कीजिए :

(क) सिद्ध कीजिए कि निम्नलिखित आव्यूह A ऐकिक

आव्यूह है :

2

$$A = \begin{bmatrix} \frac{1}{\sqrt{2}} & \frac{i}{\sqrt{2}} \\ -i & \frac{-1}{\sqrt{2}} \end{bmatrix}$$

- (ख) टेन्सर में मुक्त सूचकांक (free index) और मूक सूचकांक (dummy index) क्या होते हैं ?  
समीकरण : 2

$$A^{ij} = \sum_{kl} \frac{\partial x'_i}{\partial x_k} \frac{\partial x'_j}{\partial x_l} A^{kl}$$

में मुक्त सूचकांक और मूक सूचकांक पहचानिए और लिखिए।

- (ग) निम्नलिखित फलन की विचित्रताओं का परिमित  $z$ -समतल में स्थान निर्धारण कीजिए और उसका नाम बताइए : 2

$$\frac{z^2 - 2z}{z^2 + 2z + 2}$$

- (घ) फलन  $\frac{z+3}{z^2-3z}$  का अवशिष्ट परिकलित कीजिए। 2

- (ङ) निम्नलिखित फलन का फूरिये रूपांतर प्राप्त कीजिए : 2

$$f(x) = \begin{cases} x, & 0 < x < 1 \\ 0, & \text{अन्यथा} \end{cases}$$

- (च) फलन  $e^{5t} \cos t$  का लाप्लास रूपांतर प्राप्त कीजिए। 2

(छ)  $P_0(x)$  और  $P_1(x)$  लैजेण्ड्रे बहुपदों को लिखिए और सिद्ध कीजिए कि ये लांबिक हैं। 2

(ज)  $n = 0$  और  $n = 1$  के लिए लागरे बहुपदों  $L_n(x)$  का आलेख खींचिए। 2

2. कोई दो भाग कीजिए :

(क) निम्नलिखित आव्यूह के आइगेन मान और आइगेन सदिश ज्ञात कीजिए : 5

$$P = \begin{bmatrix} 2 & 1 \\ 1 & 2 \end{bmatrix}$$

सिद्ध कीजिए कि इसके आइगेन सदिश लांबिक हैं।

(ख) (i) सिद्ध कीजिए कि हर्मिटी आव्यूह के भिन्न आइगेन मानों के संगत आइगेन सदिश एक-दूसरे के प्रति लांबिक होते हैं। 3

(ii) सिद्ध कीजिए कि  $\{1, -1\}$  गुणनात्मक समूह  $\{1, i, -1, -i\}$  का एक उपसमूह है। 2

(ग) द्विघात समीकरण  $2x^2 + 4xy - y^2 = 24$  के लिए गुणांकों का आव्यूह लिखिए और उसका विकर्णन कीजिए। उसे नए चरों में प्रस्तुत कीजिए और बताइए कि यह किस शांकव परिच्छेद को निरूपित करता है ?

5

3. कोई दो भाग कीजिए :

(क) अवशिष्ट-विधि का उपयोग कर सिद्ध कीजिए कि : 5

$$\int_0^{\infty} \frac{d\theta}{1 + \sin^2 \theta} = \frac{\pi}{\sqrt{2}}$$

(ख) विचित्र बिन्दुओं के प्रतिवेश में फलन  $\frac{e^z}{(z-1)^2}$  का

लौरां श्रेणी प्रसार प्राप्त कीजिए और अवशिष्ट परिकलित कीजिए। 5

(ग) समाकलन  $\oint_C \frac{dz}{1+z^2}$  का मान परिकलित कीजिए,

जहाँ C वृत्त  $|z|=3$  है। 5

4. कोई दो भाग कीजिए :

(क) फलन :

$$f(x) = e^{-px}, \quad 0 < x < \infty, \quad p > 0$$

का फूरिये कोसाइन रूपांतर प्राप्त कीजिए। 5

(ख) लाप्लास रूपांतर का उपयोग कर आदि मान  
समस्या : 5

$$y'' - 4y' + 3y = 0; y(0) = 3, y'(0) = 7$$

को हल कीजिए।

(ग) निम्नलिखित फलन का व्युत्क्रम लाप्लास रूपांतर  
परिकलित कीजिए : 5

$$\frac{s}{(s-1)^2 - 4}$$

5. कोई एक भाग कीजिए :

(क) कोटि  $m$  वाले प्रथम प्रकार के बेसल फलन का  
व्यंजक निम्न द्वारा दिया जाता है : 10

$$J_m(x) = \sum_{k=0}^{\infty} (-1)^k \frac{1}{k! \Gamma(m+k+1)} \left(\frac{x}{2}\right)^{2k+m}$$

सिद्ध कीजिए कि :

$$J_{1/2}(x) = \sqrt{\frac{2}{\pi}} x^{-1/2} \sin x$$

$$\text{और } J_{-1/2}(x) = \sqrt{\frac{2}{\pi}} x^{-1/2} \cos x$$

(ख) हर्मिट बहुपदों के जनक फलन :

10

$$g(x, t) = e^{2xt - t^2} = \sum_{n=0}^{\infty} H_n(x) \frac{t^n}{n!}$$

का उपयोग कर निम्नलिखित पुनरावृत्ति संबंध प्राप्त कीजिए :

$$H_{n+1}(x) = 2xH_n(x) - H'_n(x)$$

× × × × ×